

Company Name: Tecnotion BV
Company Address: Twentepoort West 15
7600AA Almelo - The Netherlands

Contact Person: JPM van Alen
E-mail: Pieterjan.van.alen@tecnotion.com
Telephone: +31(0)54636314

This letter is to confirm that the product(s) referenced below have been evaluated against Regulation (EC) 1907/2006 of the European Parliament, "**Registration, Evaluation, and Authorization of Chemicals (REACH)**", as interpreted by EU Court of Justice decision C-106/14 of 10 September 2015. The compliance status of the product is confirmed by the sections below.

Article 33 of EU Regulation 1907/2006

The product(s) referenced below have been evaluated for the presence of the 197 REACH SVHCs as updated BY ECHA on January 15, 2019. The product(s) and/or articles* contained within the product(s) CONTAIN the following SVHCs in amounts more than 1000ppm, as provided in the table on the pages below.

Note * An Article is any item within a part or component of the product which during production is given a special shape, surface or design that determines its function to a greater degree than its chemical composition. An example of articles within an electronic component would be the leads of a through-hole capacitor. For more information, please refer to Example 21 of the EU Chemicals Agency "Guidance for Requirements on Substances in Articles"

(https://echa.europa.eu/documents/10162/23036412/articles_en.pdf/cc2e3f93-8391-4944-88e4-efed5fb5112c)

The latest **197** substances subject to analysis per the REACH Regulation were **last updated on January 15, 2019**. Please refer to the following for the most current candidate list of substances:
<http://echa.europa.eu/candidate-list-table>.

Additional information on the European Union's REACH regulation can be found here:
<https://echa.europa.eu/regulations/reach/understanding-reach>

Authorized Signature:



Name: J. van der Heide

Title: TQM Manager

Date: Feb 10th, 2021

Product No.	Product description	REACH-SVHC	CAS-No.	Location / Article name	Concentration [ppm]	Amount [gram]
4022 368 5067	COILUNIT UC3	None				
4022 368 5516	COILUNIT UC3 INLINE	None				
4022 368 5068	COILUNIT UC 6	None				
4022 368 5064	MAGNET YOKE UC-A 66mm	None				
4022 368 5065	MAGNET YOKE UC-A 99mm	None				
4022 368 5066	MAGNET YOKE UC-A 264mm	None				
4022 368 5130	DIG HALL MODULE 120' UC	None				
4022 368 5298	COILUNIT UF 3	None				
4022 368 5372	COILUNIT UF 6	None				
4022 368 5382	MAGNET YOKE UF 72mm	None				
4022 368 5383	MAGNET YOKE UF 120mm	None				
4022 368 5391	DIG HALL MODULE 120' UF	None				
4022 368 5055	COILUNIT UM 3 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	4500	< 0,8
4022 368 5055	COILUNIT UM 3 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5051	COILUNIT UM 3S	4,4'-isopropylidenediphenol	80-05-7	Casting resin	4500	< 0,8
4022 368 5051	COILUNIT UM 3S	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5056	COILUNIT UM 6 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	5600	< 1,3
4022 368 5056	COILUNIT UM 6 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5052	COILUNIT UM 6 S	4,4'-isopropylidenediphenol	80-05-7	Casting resin	5600	< 1,3
4022 368 5052	COILUNIT UM 6 S	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5057	COILUNIT UM 9 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	7700	< 2,5
4022 368 5057	COILUNIT UM 9 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5053	COILUNIT UM 9 S	4,4'-isopropylidenediphenol	80-05-7	Casting resin	7700	< 2,5
4022 368 5053	COILUNIT UM 9 S	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5058	COILUNIT UM 12 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	8200	< 3,3
4022 368 5058	COILUNIT UM 12 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5054	COILUNIT UM 12 S	4,4'-isopropylidenediphenol	80-05-7	Casting resin	8200	< 3,3
4022 368 5054	COILUNIT UM 12 S	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5040	MAGNET YOKE UM-A 90mm	None				
4022 368 5041	MAGNET YOKE UM-A 120mm	None				
4022 368 5042	MAGNET YOKE UM-A 150mm	None				
4022 368 5043	MAGNET YOKE UM-A 390mm	None				

Product No.	Product description	REACH-SVHC	CAS-No.	Location / Article name	Concentration [ppm]	Amount [gram]
4022 368 5144	DIG HALL MODULE 120' UM	None				
4022 368 5025	COILUNIT UL 3 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	3400	< 1,2
4022 368 5025	COILUNIT UL 3 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5045	COILUNIT UL 3 S	4,4'-isopropylidenediphenol	80-05-7	Casting resin	3400	< 1,2
4022 368 5045	COILUNIT UL 3 S	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5026	COILUNIT UL 6 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	4200	< 2,5
4022 368 5026	COILUNIT UL 6 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5046	COILUNIT UL 6 S	4,4'-isopropylidenediphenol	80-05-7	Casting resin	4200	< 2,5
4022 368 5046	COILUNIT UL 6 S	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5027	COILUNIT UL 9 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	4500	< 3,4
4022 368 5027	COILUNIT UL 9 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5047	COILUNIT UL 9S	4,4'-isopropylidenediphenol	80-05-7	Casting resin	4500	< 3,4
4022 368 5047	COILUNIT UL 9S	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5028	COILUNIT UL 12 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	4700	< 4,9
4022 368 5028	COILUNIT UL 12 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5048	COILUNIT UL 12 S	4,4'-isopropylidenediphenol	80-05-7	Casting resin	4700	< 4,9
4022 368 5048	COILUNIT UL 12 S	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5029	COILUNIT UL15 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	4800	< 5,9
4022 368 5029	COILUNIT UL15 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5049	COILUNIT UL 15 S	4,4'-isopropylidenediphenol	80-05-7	Casting resin	4800	< 5,9
4022 368 5049	COILUNIT UL 15 S	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5021	MAGNET YOKE UL-A 126mm	None				
4022 368 5022	MAGNET YOKE UL-A 168mm	None				
4022 368 5023	MAGNET YOKE UL-A 210mm	None				
4022 368 5024	MAGNET YOKE UL-A 546mm	None				
4022 368 5145	DIG HALL MODULE 120' UL	None				
4022 368 5093	MAGNET YOKE UX-A 171mm	None				
4022 368 5098	MAGNET YOKE UX-A 114mm	None				
4022 368 5099	MAGNET YOKE UX-A 456mm	None				
4022 368 5105	COILUNIT UX 3 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	2900	< 2
4022 368 5105	COILUNIT UX 3 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5235	COILUNIT UX3 S FLEX	4,4'-isopropylidenediphenol	80-05-7	Casting resin	2300	< 2

Product No.	Product description	REACH-SVHC	CAS-No.	Location / Article name	Concentration [ppm]	Amount [gram]
4022 368 5235	COILUNIT UX3 S FLEX	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5106	COILUNIT UX 6 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	3400	< 4
4022 368 5106	COILUNIT UX 6 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5101	COILUNIT UX 6 S	4,4'-isopropylidenediphenol	80-05-7	Casting resin	3400	< 4
4022 368 5101	COILUNIT UX 6 S	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5107	COILUNIT UX 9 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	3600	< 6
4022 368 5107	COILUNIT UX 9 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5102	COILUNIT UX 9 S	4,4'-isopropylidenediphenol	80-05-7	Casting resin	3600	< 6
4022 368 5102	COILUNIT UX 9 S	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5108	COILUNIT UX 12 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	3700	< 8
4022 368 5108	COILUNIT UX 12 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5103	COILUNIT UX 12 S	4,4'-isopropylidenediphenol	80-05-7	Casting resin	3700	< 8
4022 368 5103	COILUNIT UX 12 S	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5111	COILUNIT UX 18 N	4,4'-isopropylidenediphenol	80-05-7	Casting resin	3300	< 10,8
4022 368 5111	COILUNIT UX 18 N	Lead	7439-92-1	Temperature sensor PTC	19000	< 0,0532
4022 368 5215	MAGNET YOKE UXX 114mm	None				
4022 368 5216	MAGNET YOKE UXX 171mm	None				
4022 368 5217	MAGNET YOKE UXX 456mm	None				
4022 368 5154	DIG HALL MODULE 120' UX	None				

Note * SVHC-concentration in product

Table 1 – Products identified as “RoHS Compliant with exemption